

Pocketable. Powerful. Tough.

Delivering maximum versatility and flexibility, Janam's XM75 rugged mobile computer makes it easy to capture data accurately and efficiently. With a 4.3-inch capacitive touch screen and backlit numeric keypad, the XM75 is one of the only devices specially designed for input-intensive applications. Its compact form factor combined with larger keypad design delivers the ideal solution for organizations that want a keypad and a large touch screen in the same device.

Pocketable and powerful, the XM75 supports the enterprise-ready Android operating system and provides the latest technological advancements to help transportation, logistics, field service and delivery companies boost productivity, streamline operations and improve the customer experience.

Extraordinary Performance.


- Pocketable and light
- Android OS
- Brilliant 4.3-inch touch screen with Gorilla Glass 3
- Exceptionally designed numeric keypad
- Superior 2D barcode scanning
- Integrated RFID and NFC
- Blazing fast 4G LTE
- Wi-Fi and Bluetooth
- Certification by Google Mobile Services (GMS)
- Extended-shift battery
- Optional trigger handle















With IP67 sealing, as well as the ability to withstand 5 foot/1.5m drops to concrete, the rugged XM75 is built to survive extreme temperatures, shocks and exposure to elements. A standard 2-year warranty provides customers with both peace of mind and the level of service they require, at no additional cost, with optional Comprehensive Service plans available to those that want to further extend their mobile computing investment.

The Right Features. The Right Price.





XM75 Specifications

TECHNICAL	
Operating System	Android 6.0.1
Processor	1.2 GHz Qualcomm Snapdragon™ 410 quad-core
Memory	2GB/16GB
Expansion	User-accessible microSD card slot with SD and SDHC support
Power	4100mAh 3.85v rechargeable Li-ion battery

PHYSICAL

Dimension	3.02" x 6.53" x 1.15" 76.83 mm x 166.01 mm x 29.27 mm
Weight	10.5oz / 300g including battery
Display	4.3" WVGA (480 x 800 pixel) with Corning Gorilla Glass 3
Touch Panel	Capacitive touch screen

ENVIRONMENTAL

Operating Temperature	-4° to 140° F / -20° to 60° C
Storage Temperature	-13º to 158º F / -25º to 70º C
Humidity	Non-condensing, 95%
Drop	Multiple 5ft / 1.5m drops to concrete on all sides across a wide temperature range per MIL-STD 810G
Water & Dust	IP67
Electro Static Discharge (ESD)	+/- 15kV air; +/- 8kV contact

INTERFACE FEATURES

Audio	3.5mm headset jack; speaker; two microphones
Alerts	Vibration; LED indicators
Connectors	MicroUSB supports USB 2.0 High-Speed
LED Indicators	Dual-color
Motion Sensor	Gyroscope; Accelerometer; Light Sensor; Proximity Sensor; Digital Compass
External Buttons	Numeric keypad (24 keys) with backlight; 2 external buttons

DATA CAPTURE	
Imager	Honeywell N6603 2D Imager
Camera	13MP color rear-facing autofocus camera with user-controllable LED flash
RFID/NFC (WWAN version only)	Reads ISO14443A; ISO14443B; ISO15693; MIFARE UltraLight; MIFARE UltraLight C; MIFARE 1k/4k/Plus; MIFARE DESFire;MIFARE DESFire EV1; NFC in the 13.56MH HF range

NETWORK COMMUNICATION USB MicroUSB port supports USB 2.0 High-Speed WWAN EDGE/GPRS/GSM: 900/1800 WCDMA: B1/2/5/6/8/19 LTE FDD: B1/2/3/5/7/8/17/20 LTE TDD: B40/41 WLAN 802.11a/b/g/n/d/h/i/k/r/v Security IEEE 802.11; WEP; WPA/WPA2; PEAP/MSCHAPv2; EAP-TLS WPAN Bluetooth Class 1, v4.1 GPS Qualcomm GPS supports GLONASS ACCESSORIES Single-Slot USB Cradle Kit Single-Slot Ethernet Cradle Kit Four-Slot Cradle Kit Four-Slot Battery Charging Kit Power Adapter Spare Battery Nylon Holster **Operating Case** Stylus with Tether Handstrap

Trigger Handle

SAFETY / REGULATORY	
Safety	IEC 60950; EMC; RF; SAR; LED; Laser
Radio	FCC; IC; GCF; CE



Janam Technologies 100 Crossways Park West Suite 105 Woodbury, NY 11797 Phone: +1.877.JANAM.99 Local: +1.516.677.9500 Fax: +1.516.320.8031 Email: <u>inquiries@janam.com</u> **Contact Technical Support:** NA: +1.866.915.5311 EMEA: +44.1202.946945 Email: janamcare@janam.com

©2018 Janam Technologies and/or its affiliates. All rights reserved. Janam and the Janam logo are trademarks of Janam Technologies, LLC. All other trademarks are the property of their respective owners.